

A Guide to *MP* Volume 31

1992 Subject Index

This index is an alphabetical list of topics included in Volume 31 of *MP*. Subject classifications (**bold** headings) are followed by issue number, then page number.

ABRASION

Al-brass tubes in desalination system, 4-65
Stainless passivation in nitric acid vs, 7-52
Wood resistance, 2-60

Abrasives: surface preparation characteristics, 2-33

ACIDS

Chlorinated wet gas vs glass-reinforced vinyl esters, 5-34
Fluoropolymer tank linings vs, 7-33
Hydrochloric in catalytic reformers, 1-66
in incinerator gas, 5-35
Hydrofluoric vs fiber-reinforced plastic tanks, 3-45
Inhibitors for petrowell scale removal, 7-40
Microbiological influence on reactions vs chlorides, sodium, 10-48
Nitric, vs 26.5 Cr duplex steels, 7-54
vs 304, 304L, CF3, 8, 7-59
vs 304, 316L, 316LN, 7-51
condenser operating reports, 7-57
vs fiber-reinforced plastic tanks, 3-44
fuming, vapor space attack, 7-51
hexavalent Cr ion contamination, 7-52
+HF, HCl, chlorides vs gold, 7-52
-sulfuric vs 347 railroad tank cars, 7-51
Polyethylene vs, 3-50
Slurry tests of Zn-rich coatings, 4-31
Sulfuric vs fiber-reinforced plastic tanks, 3-45

AIRCRAFT

Galvanic attack, Al- carbon composite, 9-58
Inspection criteria uncertainties, 9-58
Structural monitoring of aging, 2-54
Time vs survival, 9-55

Air Pollution: nitrous oxide controls, coal-fired boilers, 11-44

ALKALINE

Petro pressure vessel cracking, 7-47
Alkalis vs wood tanks, 1-58

ALUMINUM

5052-0 (UNS 95052) vs decontaminants, 8-45
Aircraft skin corrosion control, 9-55
Anodizing, colored vs atmospheric attack, 5-32
Weld faults in pipes vs nitrogen, 9-71

Amines: petrorefining stress vessel cracking vs, 7-45

Ammonia: pressure vessels vs, 5-62

ANODES

Magnesium, ductile iron pipe protection, 3-35
Ti for cathodically protected water pipeline, 7-19
in reinforced concrete, 12-13

Anodic Protection: galvanic, other vs Ti crevices, 10-61

Ashes: bottom and fly chemistries, 4-44

ATMOSPHERIC ATTACK

Aluminum colored anodizing vs, 5-32
Sea beach vs inorganic, organic Zn coatings, 4-30
Steels, weather-resisting vs humidity, salt spray, 12-51
Tunnel dust vs 303, other stainless steels, 6-60
Wetness time measurement, 6-48

AUTOMOBILES

International battery consortium, 8-10
Zn-coated steel statistics, 4-43

Backfill: coke for CP anodes under tank bottoms, 7-23

Bearings: oil-free polymer, 3-96

Biocides: see Inhibitors

Biological: pipeline effects internal, 1-52

BOILERS

Biocides, attack by solid, 4-50
Coal-fired tube failures, 11-44
Liquid state analyses Fe, Na, Ni, S, V in oil-fired, 4-47
Mg oxide treatments, 4-46
Steam, fireside attack on controls, 4-44
fireside deposits on economizer tubes, 4-46
Waste incinerator tube failures, 11-43

Brick: silica in incinerators, 5-36

BRIDGES

Alloyed reinforcing rods for concrete, 4-68
CP of North American, 9-28
International CP, 9-33

CABLES

Communication, asphaltic duct failures, 10-23
lead sheath failures, 10-20

Catalysis: metal oxide, methyl acetylene research, 11-52

CATHODIC PROTECTION

Anodes, Al, Fe in desalination unit, 4-64
Al-Zn-In, Mg rod, North Sea platform, 4-16
bracelet, wave-action load reduction, 4-20
ceramic-coated for water and chlorides, 10-45

A Guide to *MP* Volume 31

1992 Subject Index

This index is an alphabetical list of topics included in Volume 31 of *MP*. Subject classifications (**bold** headings) are followed by issue number, then page number.

ABRASION

Al-brass tubes in desalination system, 4-65
Stainless passivation in nitric acid vs, 7-52
Wood resistance, 2-60

Abrasives: surface preparation characteristics, 2-33

ACIDS

Chlorinated wet gas vs glass-reinforced vinyl esters, 5-34
Fluoropolymer tank linings vs, 7-33
Hydrochloric in catalytic reformers, 1-66
in incinerator gas, 5-35
Hydrofluoric vs fiber-reinforced plastic tanks, 3-45
Inhibitors for petrowell scale removal, 7-40
Microbiological influence on reactions vs chlorides, sodium, 10-48
Nitric, vs 26.5 Cr duplex steels, 7-54
vs 304, 304L, CF3, 8, 7-59
vs 304, 316L, 316LN, 7-51
condenser operating reports, 7-57
vs fiber-reinforced plastic tanks, 3-44
fuming, vapor space attack, 7-51
hexavalent Cr ion contamination, 7-52
+HF, HCl, chlorides vs gold, 7-52
-sulfuric vs 347 railroad tank cars, 7-51
Polyethylene vs, 3-50
Slurry tests of Zn-rich coatings, 4-31
Sulfuric vs fiber-reinforced plastic tanks, 3-45

AIRCRAFT

Galvanic attack, Al- carbon composite, 9-58
Inspection criteria uncertainties, 9-58
Structural monitoring of aging, 2-54
Time vs survival, 9-55

Air Pollution: nitrous oxide controls, coal-fired boilers, 11-44

ALKALINE

Petro pressure vessel cracking, 7-47
Alkalis vs wood tanks, 1-58

ALUMINUM

5052-0 (UNS 95052) vs decontaminants, 8-45
Aircraft skin corrosion control, 9-55
Anodizing, colored vs atmospheric attack, 5-32
Weld faults in pipes vs nitrogen, 9-71

Amines: petrorefining stress vessel cracking vs, 7-45

Ammonia: pressure vessels vs, 5-62

ANODES

Magnesium, ductile iron pipe protection, 3-35
Ti for cathodically protected water pipeline, 7-19
in reinforced concrete, 12-13

Anodic Protection: galvanic, other vs Ti crevices, 10-61

Ashes: bottom and fly chemistries, 4-44

ATMOSPHERIC ATTACK

Aluminum colored anodizing vs, 5-32
Sea beach vs inorganic, organic Zn coatings, 4-30
Steels, weather-resisting vs humidity, salt spray, 12-51
Tunnel dust vs 303, other stainless steels, 6-60
Wetness time measurement, 6-48

AUTOMOBILES

International battery consortium, 8-10
Zn-coated steel statistics, 4-43

Backfill: coke for CP anodes under tank bottoms, 7-23

Bearings: oil-free polymer, 3-96

Biocides: see Inhibitors

Biological: pipeline effects internal, 1-52

BOILERS

Biocides, attack by solid, 4-50
Coal-fired tube failures, 11-44
Liquid state analyses Fe, Na, Ni, S, V in oil-fired, 4-47
Mg oxide treatments, 4-46
Steam, fireside attack on controls, 4-44
fireside deposits on economizer tubes, 4-46
Waste incinerator tube failures, 11-43

Brick: silica in incinerators, 5-36

BRIDGES

Alloyed reinforcing rods for concrete, 4-68
CP of North American, 9-28
International CP, 9-33

CABLES

Communication, asphaltic duct failures, 10-23
lead sheath failures, 10-20

Catalysis: metal oxide, methyl acetylene research, 11-52

CATHODIC PROTECTION

Anodes, Al, Fe in desalination unit, 4-64
Al-Zn-In, Mg rod, North Sea platform, 4-16
bracelet, wave-action load reduction, 4-20
ceramic-coated for water and chlorides, 10-45

cost factors, 3-29
 design, wastewater tank internal, 8-25,27
 drilled holes in concrete for anodes, 6-31
 potential measurements, steel-reinforced concrete, 12-14
 submerged pipeline, 2-20
 Backfill, cast iron pipe, 3-37
 Bridges, North American survey, 9-28
 Capital recovery factors, 3-28
 Coatings influence on economics, 3-25
 Columns, concrete reinforced, 9-32
 Concrete, conductive vs reinforcement, 2-30
 impressed current on rebars, 6-29
 internal anodes for, 6-29
 pipe, steel-reinforced, 5-24
 pre- and post-stressed, anode voltage controls, 12-13
 reinforced protection criteria, 12-14
 urethane foam coatings, 2-24
 Cost factors statistics, 3-27
 Data logging, 1-24
 Economics review, 3-25
 Electrical field survey, submerged pipelines, 2-23
 Flange insulation installation precautions, 11-29
 Inorganic zinc coatings for, 6-36
 IR drop measurements on buried tank, 10-26
 Lead-sheathed cable failure, 10-20
 Metal coatings on concrete, adhesion tests, 7-29
 Microprocessor controls of anode voltage, 12-16
 National Electric Safety Code, NACE comments on, 3-40
 Offshore petro platforms, underwater, 4-16
 bracelet anodes for, 4-20
 platforms monitoring systems, 4-23
 Parking garage, concrete reinforcement, 6-31
 Pipeline coatings, computer analysis, 2-26
 low coatings resistance design, 7-17
 potential surveys, 11-17
 undersea surveys, 2-19
 Polarization vs soil resistivities, 2-26
 tests, steel reinforced concrete, 12-16
 Polypropylene tubing for tank reference anodes, 8-23
 Potential tests, 1-28
 Remote electrical surveys undersea, 2-21
 Steam condensers, 8-56
 Steel underground, computer monitoring, 9-34
 Stray current monitoring, 1-23
 from water line, 7-17
 Tank bottom, potential monitoring, 7-22
 underbottom protection case histories, 8-18,20
 bottoms, 5-25; 7-21
 buried design, 7-20
 underground potential tests, 10-24
 wastewater aboveground, internal, 8-22
 Temperature influence, 11-22
 Test leads carrying induced AC, 12-20
 Ti mesh anode systems for steel reinforced concrete, 12-14,92
 Wastewater tank underside design, 8-24

Chemical processing: Ti alloys for, 11-55

CHLORIDES
 Austenitic stainless steels' reactions, 9-65
 Concrete, in and on, 12-37

Duplex 329 (UNS S32900) vs cracking by, 7-54
 Metal from high-temperature gas combustion, 4-45
 Polyethylene vs, 3-50
 Sodium, test vs 304, 316 in 21-70°C water, 4-51
 air valve, welds cracking by, 10-63
 Thionyl, materials resistant to, 8-31

COAL

Combustion products' analysis, 4-45
 Waste incinerators, used in, 11-43

COATINGS

Abrasion resistance tests, 8-38
 Adhesion tests, 8-37
 fluoropolymer linings, 7-34
 Aircraft external, standards, 9-57
 Aluminum and bituminous on Cu, steel culverts, 12-48
 Anodic for aluminum, 8-45
 Antifouling on offshore platforms, 4-20
 Antiperspirants vs autos, 7-3
 Application safety audits, 11-31
 Bridges, case histories, 7-37
 Chemical resistance tests, 8-37
 Coal tar epoxy and inorganic zinc, 6-39
 Concrete pipe, for steel reinforced, 5-24
 Conductive for concrete CP, 9-32
 Contractor qualifications, 2-42
 Electric, heated surface safety rules, 11-34
 Electrostatic and spray systems, safety, 11-33
 Environmental housekeeping safety rules, 11-33
 Environmental variables' influence on concrete applications, 10-34
 Epoxy-carbon conductive on titanium, 11-55
 in marine splash zone, 6-39
 on offshore platforms, 4-16
 vs vinyl on atmospheric exposures of offshore platforms, 4-23
 Equipment for properties' tests, 8-37, 40
 Fire loss statistics, 11-32
 Flexibility test, 8-38
 Galvanized hot dip, organic coatings over, 5-39
 Impact resistance tests, 8-38
 Inorganic, organic Zn-rich vs ocean atmospheric, 4-30, 6-37
 Inspection on concrete, 10-33
 Liquid storage safety, 11-35
 Metal bonding to concrete, 7-29
 Offshore structures, 6-36
 Opacity tests, 8-37
 Pipelines application quality controls, 11-17
 disbonding effects, 11-20,21
 low-resistance CP design, 7-17
 refurbishing methods, 1-33
 selection and use survey, 11-16
 Pipe welds, 9-46
 Polymeric, on concrete, 4-31
 on pipelines, 1-33,39; 6-41
 anchor stud bonding to concrete, 4-35
 Polyvinylchloride on wood tank hoops, 3-82
 Powder, EPRI report, 10-40
 Precious metals and oxides on Ti, 11-55
 Properties tests, 8-35
 Roof screws, 2-62

COATINGS continued

Rubber with embedded CuNi on petro platforms, 4-31
 Surface preparation, abrasives characteristics, 2-33
 Toxicity precautions, 11-35
 Turbines vs steam, 8-55
 Ventilation for safety, 11-33
 Vinyl and urethane for marine, 6-40
 Weathering test, 8-38
 Zinc-epoxy on tank internal bottoms, 10-37
 Zinc inorganic, two-component and topcoats, 4-30
 vs molybdate inhibitors, 5-50

Combustion: gases of PVC vs CuNi and stainless steels, 5-46

COMPOSITES

Concrete-polypropylene fiber tank bottom, 5-25
 Metal-ceramic vs impact, 8-64

COMPUTERIZED CONTROLS

Bracelet anodes on submerged platform, 4-22
 Electric power plant surveillance systems, 8-59
 Electron microscope program, 7-49
 Expert systems' role in neural network predictions, 9-64
 Pipelines stray current control design, 7-19
 Pit local conditions, 10-44
 Stray current monitoring, 1-23
 Tank bottom test data, 10-38
 Telemonitoring of food sterilizers, 11-47
 Underground steel CP monitoring, 9-34

CONCRETE

CP anodes in, 6-29
 CP of bridges, 9-28
 Chemical mixtures' effects on, 12-39, 40
 Chloride-containing, inhibitor injection into, 3-64
 Conductive bridge reinforcement, 2-30
 Hydrogen storage tank bottoms, 5-25
 Lead vs, 1-70
 Metal coatings' adhesion tests, 7-29
 Pipe, prestressed, failure analysis, 5-21
 Pipeline coatings, 2-34
 Polymeric coatings on, 4-34
 Prestress steel reinforced, automatic CP controls, 12-13
 Seawater splash-zone attacks, 4-69
 Steel, reinforcement alloying benefits, 4-68
 bars, inhibitor to protect, 3-62
 mixture effects on, 12-42
 polarization tests, 12-37
 Welding polymetric joints on, 4-35

Condensers: power plant, CP, 8-57

Conductivity: delineation of characteristics, 8-28

Containers: food cans, sterilizers for, 11-47

Cookers: rotary, pressure, 11-47

COOLING WATER

Fluorescent tracer monitoring of, 2-46
 Food sterilizer systems' inhibitors, 11-48
 Molybdate-zinc inhibitor for, 3-68; 5-50
 Polymeric dispersant monitoring in, 2-46

Tower attacks by microbes, 4-50
 Underdeposit attack inhibition, 3-72

COPPER AND ALLOYS

C 70600 CuNi steam condenser tubes, 9-70
 Al-brass 90-10 tubes erosion in desalination systems, 4-65
 Ammonia cracking of steam condenser tubing, 9-68
 CuNi 70-30, Monel vs polyvinylchloride combustion, 5-46
 Patina characteristics, 5-58
 Potable water pipe attacks, 12-55

CREVICE ATTACK

NiCr-Mo-N alloys' compositions vs, 11-57
 Ti N08904 desalination system, 4-64
 Ti-Pd alloys vs, 11-54

Culverts: design, service-life estimates, 12-48

Data Bases: international computer accessible networks, 6-72

DESALINATION

59 C system materials inventory, 4-66
 Ti, 904L (UNS N08904) joints, low-temperature attack, 4-64

DESIGN

CP for bridges, 9-29
 tank undersides, 8-18
 Guarantees, water resources policies reviewed, 8-13
 Materials consideration in aircraft, 9-56
 Offshore petro platform vs wave loads, 4-20, 22
 Polymer linings bonded to concrete by anchor bolts, 4-35
 Tanks, aboveground wastewater internal CP, 8-22
 buried, CP, 10-24

Dew Point: determination, 6-51

ECONOMICS

Aircraft coatings, 9-57
 maintenance, 2-54
 Bracelet anodes on offshore platforms, 4-21
 Coatings on offshore platforms, 4-18
 Concrete pipe, steel-reinforced CP, 5-24
 Electric power plant controls, 8-53
 Fiber-reinforced polymers for incinerator, 5-38
 Magnetic flux tests vs others on tank bottoms, 10-39
 Materials cost factors, 6-68
 Pipe, ductile cast iron CP, 3-38
 Pipe linings, polyethylene, 3-52
 Pipeline coatings, 11-21
 Polymeric dual laminates, 3-46, 47
 Power plant surveillance computerization, 8-60
 Stainless steels, coatings vs hydrogen sulfide cracking, 5-60
 Thermoplastic, thermoset powder coatings application, 10-40

ELECTRICITY

Conductivity genesis and development, 8-28
 Hydropower statistics, status, economic study, 8-14
 Power plant materials and controls, 8-52, 53
 Steam condenser brass tube cracking, 9-68

Electro-Osmosis: of soil heavy metals, 6-34

Environmental Impact: pipeline maintenance, 11-21

Environmental Pollution: electrokinetic concentration of, 6-34

Erosion: boiler tubes' combustion zone, 4-46

Ethanol: Brazil's gasoline blending with, 7-2

FASTENERS

303 stainless steels failures in road tunnel environments, 6-62

Low slope roofs, effects on, 2-62

Rivets, aircraft failures, 9-56

Fatigue: aircraft corrosion, time factors, 9-55

GALVANIC ATTACK

Hot hydrocarbon tank bottoms, 5-26

Roof fasteners, 2-64

Ti vs metals and alloys, 11-56

Ti-stainless steel couples in desalination plant, 4-67

Gases: ammonia, chlorine, others vs polyethylene, 3-50

Grates: iron ore pellet calcination, chemical treatment, 4-47

Groundwater: flow sensor, 6-57

Halides: Ti stress corrosion, influence of, 10-60

Halogens: solid biocide residue from, 4-54

Hazardous Waste: U.S. statistics, 7-50

HEAT EXCHANGERS

Duplex 329 (UNS 32900) tubes for nitric acid, 7-54

See also BOILERS

Ti crevice attack vs noble metals in, 11-56

Homopolar Pulse Welding Technique, 6-20

Hydrocarbons: polyethylene vs, 3-50

HYDROGEN

Blisters, catalytic reformer, 1-63

Blisters, petro refinery pressure vessels, 7-47

Cyanide, pressure vessels vs, 5-62

Embrittlement, steel reinforcing in concrete, CP control, 12-13

Fluoride, wet incinerator gas vs glass fiber-reinforced polymers, 5-35

Steel tubercles, generation of, 5-51

Stress corrosion cracking, induced by, 6-24; 7-46

Stress cracking in gas condensate pipeline, 10-55, 56

HYDROGEN SULFIDE

Gas condensate pipeline stress cracking by, 10-56

Polysulfides vs attack by, 5-62

Pressure vessel cracking in, 5-60

Stress cracking, pressure vessel tests, 7-45

INCINERATORS

Case histories, vinyl ester resins vs, 5-37

Chlorine from polyvinylchloride combustion, 11-44

Domestic, waste ashes, sulfur compounds in, 11-45

Electrostatic wet scrubbing of gas from, 5-36

Fire-resistant fiber-reinforced polymers vs, 5-38

Gas vs vinyl ester, glass-reinforced, 5-34

Municipal solid waste, alkaline and heavy metals, chlorides in gas vs, 11-43

Polyvinylchloride vs hypochlorite in, 5-37

Rotary kiln, fiber-reinforced polymers in, 5-37

Waste, fireside deposits from, 11-44

Zn and Na, P sulfates attacks in waste, 11-46

INHIBITORS

Chlorine, others for water in food sterilizers, 11-47

Cooling water, biocide vs weld cracking, 10-64

Electrical injection into concrete, 3-63

Hydrazine, proper choice for boilers, 6-59

Hydrogen sulfide, used in pressure vessels vs, 5-63

Molybdates for cooling water, 5-50

Molybdate-zinc characterization, 3-68

Petro well downhole scale remover, 7-40

Pipeline, internal, 1-48, 53

Pipeline, inspection, preceding use in, 1-51

Power plant cooling towers, 8-57

Solid biocides in cooling towers, 4-50

Steel reinforcing in concrete, 3-62

INSULATION

Polymeric for buried CP, anodes, 7-23

Thermal, fiberglass, chlorides vs 316 SS air valve welds, 10-63

Wood as, 2-58

Laminates: metal-ceramic composites vs impact, 8-64

LEAD

300 stainless steel vs, 1-68

Cable-sheath failure analysis, 10-20

LININGS

Concrete, secondary containment, 4-37

Fluoropolymer in tanks, 7-33

Fusion-bonded epoxy, 9-49

Polyethylene, 3-50

Polyurethane sprayed, in mines, 10-41

Tank car, phenolic, 8-31

Tank, specifications, 7-34

Mass Spectroscopy: techniques, trends, 5-56

MICROBIOLOGICAL EFFECTS

Acid producing bacteria, test kit for, 5-68

Cooling tower, 4-50

Metal ion reactions with *Desulfovibrio Sp.*, 10-48, 51

Molybdates vs sulfate-reducing bacteria, 5-53

Research at University of Tennessee, 4-14

Simulated sulfate-reducing bacteria vs zinc-rich coatings, 4-30

Stainless tubes in steam condensers, 9-69

Sulfate reduction by *Desulfovibrio Sp.* in chlorides, 10-48

Mines: radar flow reduction by urethane linings, 10-41

Mud Mats: offshore platform CP design, 4-17

Nickel: Chlorine dioxide vs stainless steels, influence of, 11-59

Oxides: Coal combustion volatility, 4-45

OXYGEN

Brass attack by ammonia factor, 9-68

OXYGEN continued

titanium stress corrosion, influence of, 10-60

Pasteurization: Food equipment for, 11-49**Pesticides:** Tank linings vs, 7-33**PETROLEUM**

Fuel oil combustion effects, 4-44

Hot residual, storage tank bottom protection, 5-25

Natural gas-condensate pipeline cracking, 10-55

Offshore structures' coatings, 6-36

Oilfield water test kits for hydrogen sulfide, 5-66

Pipelines, polyethylene liners, 3-49

Pressure vessel, crack inspection, 7-45

manufacturing defects, 7-46

vessel weld inspection and repairs, 7-48

Refinery reactors, stress cracking controls, 7-45

Refining, catalytic reformer cracking, 1-63

Well downhole scale-removal inhibitors, 7-40

pH: historical review, 1-55**PIPELINES**

AC, lightning hazards on, 12-19

Bracelet anodes, other CP NACE Standards identification, 7-63

Bellhole inspections, 11-17

Biological treatment, internal, 1-49

Coatings, application *in situ*, 1-42

asphalt, 1-40

coal tar epoxy, urethanes, 1-39

concrete vs CP, 2-24

low-resistance design for, 7-17

polyethylene, 1-39; 6-42

polymeric tapes, 1-39

refurbishing, 1-33

selection and use survey, 11-16

Flow velocity effects, 1-52

Fouling removal, 1-47

Internal cleaning, 1-47

Leak detection, volatile tracers for, 2-40

Offshore CP surveys, 2-19

Paraffin control, 1-48

Petroleum, gas inhibitors for, 1-48

"Pig" cleaning and surveys, 1-47; 11-16, 17

Stray current monitoring, 1-23

Stress corrosion cracking, hydrogen induced, 6-24

Stress tests, ultrasonic, 3-41

Surface preparation, 1-33

Ultrasonic internal inspection, 1-51

Urethane foam coatings, 2-24

Water, isopolyester plus fiber coatings, 1-71

PIPES

Annual tests for buried secondary containment, 3-79

Cast iron, NTSB corrosion alert notice, 10-14

Cleaning internal prior to lining, 3-49

Concrete prestressed, plate lined, 5-21

Corrugated polymeric culverts, 12-49

Fiberglass-reinforced polymer plus thermoplastics, 3-44

Hydrogen cracking, 10-55

Petroleum, polyethylene liners, 3-49

High-density polyethylene potable water systems, 5-54

Polymeric, double containment design, 3-88

Polymeric, perforated for tank bottom potential tests, 7-26

Steel underground, computer monitoring of CP, 9-34

Sulfide stress cracking controls, 3-98

Ultrasonic thickness monitoring, 2-52

Welds, coatings inside, 9-46

Wood, steel reinforced, 2-57

PITS

Internal, carbon steel gas-condensate pipeline, 10-55

Microbiological from solid biocide residue, 4-52

Microbe analysis, 10-44

Molybdate inhibitor vs, 3-68

Temperature, rate influence, 11-25

Steel, mechanism in water and molybdates, 5-52

Titanium, stress corrosion induction by, 10-57

Zinc inhibitors vs, 3-68

POLYMERIC MATERIALS

Biodegradable polyhydroxy-butyrate petroleum-base alternate, 7-61

Codes for chemical plant pipes, 3-88

Coatings for offshore structures, 6-36

pipeline, coal tar epoxy, 1-39

epoxy, fluorocarbons for roof screws, 2-62

Composites, 2-73

Concrete overlay of reinforcement, 2-30

Isopolyester water pipelines, 1-71

Phenolic tank car linings, curing, 8-30

Pipe, dual laminate plus thermoplastic, 3-44

Polyethylene chemical resistance tables, 3-50

Polyethylene over tank bottoms, 5-25

Polyvinylchloride combustion gas vs C steel, CuNi, stainless steels, 5-46

Surface preparation abrasives, 2-38

Tape pipeline coatings, 1-39

Thermoplastic composite research project on auto parts, 11-62

Thermoplastics vs hydrocarbons, acids, alkalis, 4-35

Thermoplastics properties tabulated, 3-46

Urethane pipeline coatings, 1-39

Vinyl ester, glass reinforced, vs incinerator gas, 5-34

Potentials: undersea platform bracelet anodes on, 4-22**Pumps:** types to use vs hydrogen sulfide, 5-63**Pumps and Valves:** materials vs nitric acid, 7-52, 60**RAILROADS**

Car coating practices, 2-33; 11-31

Tank car linings, curing, 8-30; 9-42

Tank car linings, NACE standard identified, 7-62

Recycling: international government resistance to, 8-11**REGULATIONS**

Cast iron pipe serviceability notice by NTSB, 10-14

Coatings safety and toxicity, 11-31

National Electrical Safety Code; NACE comments, 3-40; 5-8

OSHA on coatings, chemicals, 8-41

Petroleum spill prevention controls, countermeasures, 3-78

Secondary containment, EPA rules changes 3-79

Roofs: design of insulated, 2-62

Rubber: railroad car and truck linings, 9-42

SAFETY

Alternating current, lightning hazards on pipelines, 12-19

Coating application audits, 11-31

Environmental Protection Agency information, 7-12

Explosion, cracked natural gas-condensate pipeline, 10-55

Grounds vs induced AC near power lines, 12-19

Magnetic flux tests require shutdown adjacent facilities, 10-37

Sewage Sludge and Municipal Solid Waste: incineration effects, 11-46

SODIUM CHLORIDE

Concrete reinforcing bars in marine environment, vs, 4-69

Reaction in S 30100 pits, 10-44

Sodium Hypochlorite: vs fiber reinforced plastic tanks, 3-45

Spalling: concrete by steel corrosion products, 4-69

STANDARDS NEWS

ANSI/AWS A5.4-92 Spec electrodes for arc welding, 11-61

ASTM G-84 time of wetness sensor, 6-48

ASTM C 633, D 4541 adhesion of flame sprayed coatings, 7-29

ASTM C 868 for thermal gradients vs polymers, 7-34

ASTM E 7.08 leak tests, 5-30

Canadian Standards Association Catalog, 7-15

NACE recently approved, identifications, 7-62; 8-51

Safety from AC or lightning, NACE, Canadian references, 12-21

Stainless steels international compositional ranges, 8-5

Surface preparation comparisons, 2-36

Surface preparation concrete ASTM, NACE, 10-33

Tank bottoms, American Petroleum Institute, 5-25

Surface preparation, international standards organizations decisions, April 1991, 3-54

STEAM

Fireside attack in boilers, 4-44

Condenser UNS C 44300 cracking in, 9-68

Power plant controls, 8-53

Pressure cooking, sterilizing food cans, 11-47

STEEL, ALLOYED

Benefits of N reviewed, 4-73

Types 1-4, +C, Cr, Cu, Mn, Ni, P, Si, S vs atmosphere, 12-51

Chemical treatment, boiler tubes vs high-temperature combustion, 5-46

STEEL, CARBON

1020 vs polyvinylchloride combustion products, 5-46

ASTM A 106 hydrogen cracking vs natural gas-condensate, 10-55

Catalytic reformer H cracking, 1-63

Galvanized in wastewater plants, 6-64

Hydrogen induced SCC, 6-24

Inhibitors for L80 during oil well scale removal, 7-44

Mo-Zn inhibitors vs cooling waste equipment, 7-45

Petro refining stress vessel vs amines, 7-45

Pressure vessel cracking by hydrogen sulfide, 5-60

Rebars for concrete, C, Cu, P alloying benefits, 4-68

Rebars, prestressed concrete, H embrittlement controls, 12-13

Rods, concrete pipe reinforcing, crack analysis, 5-23

Tuberculation in cooling water, 5-50

Waste incinerator attack rates, 11-45

Zinc hot dip coated and topcoat, 5-39

Zinc inorganic coatings on, 6-36

Steel Duplex: 7 Mo, 25 Cr UNS 32950 vs nitric acid, 7-54,55

STEELS, STAINLESS

300 series vs lead, 1-68

303 stress corrosion cracking in road tunnel, 6-60, 62

304 vs,

polyvinylchloride combustion gas, 5-47

tests via neural network predictive analysis, 9-65

304L, CF 3, 8 vs nitric acid, 7-59

316 microbiological attacks, 4-50

316L vs nitric acid, 7-51

316L, 317L, LMN, 317L4 chemistry, 3-94

410 for roof fasteners, 2-62,64

310L, UNS 08800 (Alloy 800) duplex ferritic-austenitic (UNS S3294) vs hot nitric acid, 7-52

316L in desalination evaporation system, 4-66

316L vs weld splatter, 2-67

UNS S30100 pits, 10-44

Austenitic +N, high strength, 9-59

Austenitic, duplex vs Cl dioxide, 11-58

Cast pumps, valves selection vs nitric acid, 7-60

Chloride stress cracking from residual test fluids, 4-74

Food sterilizers, 11-47

Microbiological attack research, 4-14

Molybdate's influence on *Desulfovibrio Sp.* in chlorides and sodium, 10-48

Molybdenum +N in high strength, 9-61

Petrowell 9Cr 1Mo, 13Cr inhibited vs acid scale removers, 7-44

Pitting, alloying vs, 9-61

in N-containing alloys, 9-60

Sulfur content influence, 5-69

Surfaces, descaling effects vs 2-95

Welding materials for, 8-62

STERILIZERS

Food on-line monitoring, 11-47

Stone-lead interface attack, 1-70

STRAY CURRENT

National Electrical Safety Code vs, 3-40

Optical fiber systems vs, 3-40

Stress Corrosion: Ti crevice attack, geometry, 10-57

STRESS CORROSION CRACKING

Neuron network prediction, 9-64

Pipeline, hydrogen induced, 6-24

Steels, Mo, N alloyed vs sodium chlorides, 9-61

Stress cracking, chloride, laboratory autoclave vs 316 stainless steel, 11-60

Stress: double-containment polymer design vs, 3-90

Sulfide Stress Cracking Controls: 3-98

Sulfides: manganese in catalytic reformers, 1-65

Sulfur Dioxide: roof fasteners vs, 2-63

Sulfur Thionylchloride: materials vs, 8-31

SURFACE PREPARATION

Abrasive, foam cleaning, 2-43

for hot dip galvanizing, 5-40

polymers, hazardous waste controls, 2-39

Blast angles for abrasives, 2-35

Concrete prior to coating, 7-32; 10-32

Photographic standards, international standards identification, 3-54

Residual salts volume test, 11-41

Standards comparisons, 2-36

Tank bottoms, 1-45; 10-37

Ti pickling vs metal contamination, 11-56

Ti crevice attack, influence of, 10-62

TANKS

347 vs nitric, sulfuric acids, 7-51

Bottom external residual life estimates, 6-56

Cathodic protection of buried, 7-20

Concrete, secondary containment linings, 4-37

Concrete, leak detection systems on polymerically coated and lined, 4-38

Fuel, underground evaluation methods, 2-31

Leak detection systems, 1-45; 2-40; 5-25; 6-53; 10-36

Polymeric liners for, 3-44,45

Polymeric linings, phenolic, curing methods, 7-33; 8-30

Rail car, ventilation during coating, 11-39

Railroad, truck, natural, other rubber linings for, 9-42

Sodium bentonite conductive bottom layer for CP, 5-18

Underground CP potential test, 10-24

Vapors in wastewater storage vs CP components, 8-23

Wood, acid-proof brick, 3-83

concrete bottoms for, 3-82

construction procedures, 3-82

design, 2-58,61

lead-lined, 3-84

TEMPERATURE

CP, influence of, 11-22

Coal-tar enamels vs, 1-39

Food sterilizers, 11-48

High, steel tubes, grates vs, 4-46

Isopolyester pipeline vs 65C water, 1-71

Neural network prediction, 9-65

Seasonal, influence on tank bottom, 6-55

Ti stress corrosion, 10-57

Wood, limits, 2-58

TEST EQUIPMENT

Digital pipe thickness meters, 2-53

Kesternich for roofing screws, 2-63

Steel, stainless lab equipment cracking, 11-60

Ultrasonic thickness methods, 2-52

TESTS

Abrasives, surface preparation, 3-58

Accelerated humidity, salt spray vs weather resistant steels, 12-51

Aircraft, 2-54

Al 5052-0 vs 30% vol DS2 decontaminant, 8-47

Anodic coatings on Al vs decontaminants, 8-45

Atmospheric dew deposition, 6-48

Automated of CP in concrete, 6-31

Biocides, solid vs 304, 316 in water, 4-51

CP instant-off using oscilloscope, 10-28

Chlorine dioxide vs stainless steels, 11-57

Coatings, for hot pipelines, 6-43

properties, 8-35

thickness, adhesion to concrete, 10-33

Computer program for electron microscopes, 7-49

Concrete reinforcing bars inhibitors, 3-62

Concrete-urethane coatings on steel vs CP, 2-25

Electric power plant surveillance, 8-58

Electron microscope, pits from solid biocide residue, 4-53

Electron microscope analysis of surface composition, 3-69

Ferric sulfate, nitric-HF (ASTM A 262) for annealed 316L, 7-51

Fluorinated polymer linings, holidays, 7-35

Fluoropolymer linings vs acids, 7-34

Fractographic of H-induced stress corrosion cracking, 6-25

Huey vs stainless steels, 7-51

Inhibitors for petrowell scale removal, 7-41

Metal coatings adhesion to concrete, 7-29

Microelectrode analysis of pits, 10-44

National Laboratory accrediting system, 4-12

Neuron network prediction of stress corrosion cracking, 9-24

Nitric acid vs UNS S32900, SS 304-403, S43000 boiling 65%, 7-55

Petro refinery vessels vs amines, hydrogen sulfide, 7-45

Pipe, process, 2-52

Pipe stresses, magnetic, ultrasonic on buried, 3-41

Pipeline CP potentials, 11-22

Pipeline, low-resistance coating, 7-18

Pitting, duplex stainless steels in ferric and H chlorides, 7-56

Polarization, on S30100 pits in NaCl, 10-46

steel in concrete, 12-38

Potentials, on buried steel tanks, 10-24

reinforcing bars on concrete balcony, 6-30

Residual fluid from, stress cracking of stainless pipe, 4-74

Steel bars, alloying benefits vs concrete, 4-69

Surface residual salts equipment, 11-41

Tank bottom CP, 7-23

Tank external bottom attack, 6-53

Ultrasonic, petro refining amine, hydrogen sulfide pressure vessel welds, 7-45

pipeline internal, 1-51

Visual rate, culverts, 12-49

Visual, magnetic flux, ultrasonic on tank bottoms, 10-36

Water for food sterilizers, 11-48

Welded joints x-ray, 9-72

Wetness timer for corrosion rate, 6-92

Wood methodology, 2-57

X-ray photoelectron spectroscopy of microbial attack, 10-48

Zn galvanized steel in atmosphere and submerged in waste water, 6-64

TITANIUM

Adhesives, gaskets, sealants, compatibilities with, 11-56

Alloying vs crevice attack, 10-62

Alloys vs acids, bromides, chloride salts, iodides, 11-54

Carbon composites in aircraft, 9-58
 Crevice analysis, 10-57; 11-54
 Mesh anodes for concrete CP system, 12-17
 Palladium, Pt, Ru coatings, 11-55

TRANSPORTATION

see Railroads
 Tank linings, 7-35
 Trucks, tank, natural, and other rubber linings for, 9-42

Tunnels: cracking in, 6-60

Turbines: steam, AISI 403 pitting, 8-54

Underwater Welding: alternate method, 5-71

Urethane Foam: coatings on pipelines, 2-24

VALVES

Air, UNS S31600 steel weld cracking, 10-63
 Stainless steel, high Ni, 5-69

Velocity: copper water pipes, 12-55

WASTE

Reduction at metal fabrication plant, 4-58
 Tank, internal CP vs, 8-22

WATER

Deionized vs fiber-reinforced polyvinyl difluoride, 3-45
 Hydrogen sulfide cracking, influence of, 5-60
 Petroleum injection pipelines, fusion-bonded epoxy linings, 9-45
 Pipelines, CP design for, 7-17
 Polyethylene liners for pipelines, 3-50
 Potable, copper attacked by, 12-55
 high-density polyethylene pipeline for, 5-54
 Sea, electronic probe for pollution surveillance, 7-27
 steel stainless and N vs, 9-60
 Sodium chloride in, temperature vs Ti, 11-55
 Surface, vs culverts, 12-48
 Waste, galvanized hot dip steel vs, 6-64
 tank, internal CP, 8-22

WELDS

Air valve cracking, 10-63
 Al pipe failure, 9-71
 Duplex 329 vs boiling nitric acid, 7-54
 Filler materials properties, 8-62
 Fluorinated polymer lining joining, 7-35
 Heat treatment, vs hydrogen sulfide cracking, 5-60
 petro refinery pressure vessel, 7-45
 Impact tests, duplex stainless S32950, 7-56
 Pipes, inside coating of, 9-46,48
 Splatter vs AISI 316L steel, 2-67
 Steel bars for concrete, alloying effects on, 4-69

White Rust: see ZINC

WOOD

Abrasion resistance, 2-60
 Acids, oxidants, salts, solvents vs, 1-61
 Alkalis vs, 1-61
 Aqueducts, 1-59
 Chemical composition, 1-59

Combustion reactions, 2-59
 Cooling towers, 1-61
 Environmental absorption by, 1-60
 Ferrous metal contacts, 1-60
 Jointing, 2-61
 Lamination, 2-60
 Polymer impregnation, 2-60
 Pressure-treated, 2-60
 Properties, 1-57
 Specific heat, 2-59
 Steam vs, 1-61
 Tank hoops' coatings, 3-82
 Temperature limits, 1-57
 Test methods, 2-57
 Types, 1-58

ZINC

Inhibitor film enhancement by, 3-74
 Molybdates, inhibitors, 3-68
 Phosphates, polyphosphates, calcium films on sterilizers, containers, 11-48
 White rust history, 3-80

Zirconium: nitric acid condensers, 7-56

WANTED

Practical Technical Articles and Distinctive Cover Photos

MP Editors are seeking articles that describe field experiences and practical, on-the-job solutions or that correlate or summarize current information concerning materials and degradation control and prevention.

High-quality, four-color photographs that relate to MP editorial themes are also sought for the front cover.

To obtain an authors' guide or editorial calendar, or for more information, contact MP staff at NACE Headquarters, P.O. Box 218340, Houston, TX 77218-8340; phone 713/492-0535, ext. 254.

1992 Author Index

- Abbott, K.E., 2-38
 Alexander, M., 6-41
 Armbruster, R., 2-33
 Arpaia, M., 7-17
 Asad, S.H., 4-64
- Bain, D., 3-68
 Barham Jr., P., 7-21
 Barlo, T.J., 2-24; 11-22
 Bazzoni, B., 12-13
 Belisle, S., 6-64
 Bickford, C., 7-21
 Bogaerts, W.F.L., 9-64
 Boova, A.A., 4-34
 Breske, T.C., 4-50
 Bresle, A., 11-41
 Broomfield, J.P., 9-28
 Brown, A.S., 9-55
 Bucher, B., 5-50
 Buecker, B.J., 9-68
 Burger, E.D., 7-40
- Carasquillo, R.L., 12-37
 Carlson Jr., R.E., 9-46
 Cavallo, J.R., 2-43
 Chakrapani, D.G., 2-67
 Chatterjee, A., 4-68
 Chesnut, G.R., 7-40
 Cigna, R., 7-17
 Clayton, C.R., 10-48
 Coulson, E.W., 2-24
 Cox, L.D., 1-28
- Davies, M., 5-64
 Debroy, S.K., 12-51
 DeRosa, J., 3-32
 Dillon, C.P., 7-51
 Dively II, R.W., 12-47
 Dufresne, R., 6-64
 Duncan, R., 2-54
- Eastin, P.M., 2-46
 El-Amari, A., 10-55
 Evans, S., 4-16
 Fikkers, A.T., 6-24
 Francis, A.J., 10-48
 Gajam, S.Y., 10-55
- Gaynor, A.T., 3-62
 Gillow, J.B., 10-48
 Glein, G.A., 3-44
 Gorton, T., 2-33
 Green, B.M., 3-32
 Greenfield, T.K., 10-32
 Gronvold, F.O., 6-29
 Grubbs, C.A., 5-32
 Gutzeit, J., 5-60
- Halada, G.P., 10-48
 Hancock, J.R., 11-16
 Hartwick, D., 3-68
 Haselmair, H., 6-60
 Haynie, F.H., 6-48
 Heffner, D.K., 7-33
 Hettiarachchi, S., 3-62
 Hock, V.F., 10-24
- Holmes, T.J., 9-42
 Hoots, J.E., 2-46
 Howell, K.M., 7-29
 Husbands, J., 7-54
- Ives, M.B., 10-44
 Jeffries, J., 5-50
 Jensen, F.O., 4-20
 Jha, R., 4-68
 Johnson, D.F., 10-63
 Johnson, E.J., 2-33
 Johnson, F., 3-32
 Johnston, D., 10-36
 Julius, W.H., 8-35
- Kearns, J.T., 10-48
 Kelley, D.H., 5-34
 Kelley, J.C., 3-94
 Ketter, L.C., 8-35
 Kotecki, D.J., 8-62
 Krause, H.H., 11-43
 Krisher, A.S., 6-68
 Kroon, D., 2-19
 Kuivien, D.E., 10-63
 Kumar, A., 9-34
- Lazzari, L., 12-13
 Lee, B.V., 1-68
 Lee, R.U., 10-20
 Lenhart, C.F., 2-36
 Levy, M., 8-45
 Lichtenstein, J., 12-19
 Lu, Y.C., 10-44
 Lukezych, S.J., 11-16
 Luo, J.L., 10-44
 Lye, R.E., 4-20
- MacDowell III, L.G., 4-30
 Maddocks, S., 1-23
 Malone, J.F., 5-39
 Marshall, A., 11-47
 May, T.F., 8-18
 McJones, S.F., 5-25
 Mikish, G.E., 7-21
 Miller, C.F., 7-45
 Mishra, K.G., 12-51
 Moore, A.S., 10-63
 Moore, T.J., 10-63
 Munger, C.G., 6-36
 Murty, J.S., 12-51
 Murugesan, A., 1-63
 Nadezhdin, A., 11-57
 Nagarajan, V., 11-43
 Narain, S., 4-64
 Nielson-Dharmaratne, K., 6-29
- Panigrahi, M.R., 12-51
 Patton, J.S., 5-46
 Pearce, M.O., 4-96
 Pedrazzoli, R.M., 9-59
 Perey, J.F., 5-34
 Peris, M.G., 5-21
 Pikas, J.L., 1-39
 Prange, F., 5-69
 Punter, A., 6-24
 Puyear, R.B., 4-74; 11-60
- Raja, V.S., 1-63
 Rapaport, D., 2-40
 Ricca, P.M., 1-51
 Richardson, J., 3-68
 Roberts, W.E., 2-62
 Rossiter, W.J., 2-62
- Schramuk, J.A., 8-22
 Schultz, R.W., 10-57; 11-54
 Scott, P.J.B., 5-64
 Sennour, M.L., 12-37
 Sethi, V.K., 11-43
 Setliff, L.F., 10-24
 Siebert, O.W., 1-57; 2-57; 3-82
 Simoncelli, C., 7-17
 Singh, S.K., 4-68
 Sinha, R.K., 4-44
 Slack, M., 3-49
 Smart, J.S., 1-47
 Smets, H.M.G., 9-64
 Smith, G.L., 1-47
 Solomon, I., 1-23
 Speirs, A., 11-47
 Spence, T.C., 7-59
 Sperling, E.J., 7-45
 Spiedel, M.O., 9-59
 Stephens, R.W., 7-21
 Streicher, M.A., 2-62
 Stuart, C.O., 12-30
 Sudoh, S., 6-53
 Swain, B.C., 12-51
 Syrett, B.C., 8-52
- Taber, K.C., 9-71
 Taylor, S.A., 1-33
 Telesman, J., 10-63
 Telthorst, P.H., 11-31
 Thompson, R., 2-52
 Timmons, F., 12-25
 Totaro, D.C., 8-30
 Tracy, R.P., 8-30
 Traversa, E., 7-17
 Tsuru, T., 6-53
- Van Blaricum, V., 9-34
 Vanstaen, G., 6-24
 Virmani, Y.P., 2-30
 Walker, A.N., 2-52
 Warfield, G., 11-22
 Webster, H.A., 3-25
 Weldon, D.G., 8-35
 Weldon, C.P., 2-19
 Wensley, D.A., 11-57
 Werner, D.P., 2-24; 11-16
 Wheat, H.G., 12-37
 Whitcraft, P.K., 7-54
 Wolf, K., 5-46
 Wright, I.G., 11-43
- Yen, B.C., 11-16
 Zabielski, C.V., 8-45
 Zdunek, A.D., 11-22
 Zeppuhar, J., 1-45
 Zhang, H., 12-37
 Ziu, C.G., 3-88

